

- : -
/ / :
/ / :

/ ± /



.()

.()

.()

()

()

.()

/

/

(BMI)



/ ± /

() ()

)

(*Biospace*)

((*K4b2 Cosmed*))

(*Run Race*)

*



)

(

()



		/	/	()
		/	/	()
		/	/	()
		/	/	()
		/	/	()
/	/	/	/	
/	/		/) (

/	/	/	/) (
		/	/	()
		/	/	()

)
() () ()
(*) ()

/	/	/	/	()
		/		()
		/		()
		/	/	()
		/	/	()
/	/	/	/	() *
				()
/	/	/	/	()
/	/	/	/	()
		/	/	()

) (P = / r = /)

.(

P	r²	r	
/	/	/	

(T = / P = /) (T = / P = /)
.()

			Beta	T	P
	B	Std.error			
	/	/		/	/
	/	/	/	/	/
	/	/	/	/	/
			/	/	/
			/	/	/

.() (P= / r= /)

<i>P</i>	r^2	<i>R</i>	
/	/	/	

(T= / P= /)

.()

			Beta	T	P
	B	Std.error			
	/	/		/	/
	/	/	/	/	/
			/	/	/
			/	/	/



) (P= / r= /)

.(

<i>P</i>	<i>R</i>²	<i>r</i>	
/	/	/	

(T= / P= /)

(T= / P= /)

.()

	B	Std.error	Beta	T	P
	/	/		/	/
	/	/	/	/	/
	/	/	/	/	/
			/	/	
			/	/	/
			/	/	/
			/	/	/
			/	/	/
*			/	/	/



(

.() ()

()

.()

()

.()

()

.()

/ , /

/

.()

/) ,(/ /)

. (/ /) (/

(

/
()



.()

/

/

()

/

.()

()

.()

()

.()

(

)

(

()

()

()

.()

.()

()

.(,)

()

()

.()

.(,)

.()

3. Bayios, I.A., Bergeles, N.K., Apostolidis, N.G., Noutsos, K.S. and Koskolou, M.D. (2006). "Anthropometric, body composition and somatotype differences of greek elite female basketball, volleyball and handball players". *J.Sports Med. Physical Fitness*, 46: PP:271-80.

4. Blomifield, J., Ackland, T.R. and Elliott, B.C., (1994). "Applied anatomy and biomechanics in sports". Blackwell Scientific Publication.

5. Devienne, M., Audiffren, M., Ripol, I.H. And Stein J.F. (2000). "Local muscular fatigue and attentional processes in fencing". *Percept, Motor Skills*, 90(1); PP:315-8.

6. Sapega, A.A., Minkoff, J., Valsamis, M. and Nicholas JA. (1984). "Musculoskeletal performance testing and profiling of elite competitive fencers". *Clin. Sports Med.*, 3(1); PP:231-44.

7. Nystrom, J., Lindwal, I O., Ceci, R., Harmenberg, J., Svedenhag, J and Ekblom, B. (1990). "Physiological and morphological characteristics of world class fencers". *Int. J.Sports Med.* 11(2):PP:136-9.

8. Singer, R.N. (1968). "Speed and accuracy of movements as related to fencing success". *Res.Q*, 39(4):PP:1080-3.

9. Stewart, K.J., Peredo, A.R., and Williams, C.M., (1977). "Physiological and morphological factors associated with successful fencing performance". *J.Hum.Ergol.(Tokyo)*. 6(1):PP:53-60.

10. Vander, L.B., Franklin, B.A., Wrisley, D., Scherf, J., Kogler, A.A., Rubenfire, M., (1984). "Physiological profile of national-class National Collegiate Athletic Association fencers". *JAMA*, 252(4):PP:500-3.

11. Williams, L.R. and Walmsley, A., (2000). "Response timing and muscular coordination in fencing: a comparison of elite and novice fencers". *J.Sci.Med.* 3(4):PP:460-75.

12. Yiou, E and Do, M.C., (2000). "In fencing, does intensive practice equally improve the speed performance of the touché when it is performed alone and in combination with the lunge?". *Int. J.Sports Med.* 21(2):PP:122-6.