

-
:
/ / :
/ / :

- - - - -
/ / / / /
(n =) (n=)
, , , , ,
Elisa R&D sICAM-1 Reader
t
(P = /) sICAM-1 sICAM-1 (P = /)
, , , , ,
(P = /) sICAM-1 sICAM-1
sICAM-1
, ICAM-1

(, , , ,)
 ,
 , , , , , , , , ,)
 ()
 ()
 ICAM-1 VO_{2max} VO_{2max} ICAM-1
 ,
 ,
 ,() ,()
 sICAM- sICAM-1
 1
 sICAM-1
 ,
 () ,() sICAM-1
 ()
 , ICAM-1 IL-1β
 () ,()
 sICAM-1
 ,
 HRmax

-
- 1- Simpson
 - 2- Akimoto
 - 3- Soluble Intercellular Adhesion Molecule-1
 - 4- Smith
 - 5- Adamopoulos

	\pm ng/ml	sICAM-1	(P < /)	\pm ng/ml
()	.()	(r = / P < /) sICAM-1		
	sICAM-1			
	.()			
		()		()
		ICAM-1		
	.(,)			()
	sICAM-1			
		()		TNF- α CRP
				()
	CRP sICAM-1			
	.()			
		()		
		.()		

-
- 1- Robert
 - 2- Wang
 - 3- Ding
 - 4- Yannakoulia
 - 5- Christopher
 - 6- Nicklas



(,)

) sICAM-1

(
(:
(sICAM-1
sICAM-1

- ± ± :

(, n=) (, n=) (

) (:) ((

) ((

	()	$\approx \text{VO}_{2\text{max}}$	()
		$\approx \%$	
		$\approx \%$	
		$\approx \%$	
		$\approx \%$	
		$\approx \%$	
		$\approx \%$	
		$\approx \%$	
		$\approx \%$	
		$\approx \%$	
		$\approx \%$	
		$\approx \%$	
		$\approx \%$	

(TWO WAY ANOVA)

)

t

(

$P \leq /$

t

,

(

)




:
() sICAM-1
sICAM-1)
(t sICAM-1) ,P = /)(
t .(P = / P = /) -
t ()
() ()
sICAM-1
, ()
sICAM-1
, (P = /)
sICAM-1
, (P = /)
sICAM-1
, (P = /)
sICAM-1
, (P = /)
sICAM-1
, (P = /)

() *sICAM-1* -

M±SD	M±SD	M±SD	
** ±	* ±	* ±	
• ±	** ±	* ±	
•** ±			

*

* •



sICAM-1

(, ,)

sICAM-1

.(, , , ,)

.(, , ,)

sICAM-1

sICAM-1

sICAM-1

()

sICAM-1 ,()

,)

sICAM-1

.(, , , , , , , ,)

sICAM-1

()

sICAM-1

sICAM-1

, ,) **sICAM-1**

() .(, ,

sICAM-1

1- Mastro

2- Nielsen



.()
() ,()
L-selectin ICAM-1

TNF- α IL-6 , IL-1 β

.()
(, , , ,) **sICAM-1**
()

ICAM-1
,) .()
sICAM-1 , (, ,

(, , , ,)
(, , , , ,) ()

.(, , , ,)

TNF- α IL-1 β
()



(,)

VO_{2max}

()

.(

.()

.(,)

sICAM-1

.(,)

sICAM-1

sICAM-1 ,()

sICAM-1

.(,)

()



()
sVCAM-1 sICAM-1
()
, () .()

TNF - α sVCAM-1 , sICAM-1
(.)

,
()
()
sICAM-1

, sICAM-1

(ICAM-1)

, ICAM-1

CRP

“() .

“() .

3. **Abramson J.L and Vaccario V. (2002).** “*Relationship between physical activity and inflammation among apparently healthy middle-aged older us adults*”. *Arch. Intern.Med . 162(11). PP: 1286-92.*

4. **Adamopoulos S. Parissis J.Kroupis & et al. (2001).** “*Physical training reduces peripheral marker of inflammation in patients with chronic heart failure*”. *Eur heart J. Vol . 22.Isse 9, PP: 791-797.*

5. **Akimoto T.Furudate M, Saitoh M & et al. (2002) .**“*Increased plasma concentrations of intercellular adhesion molecule -1 after strenuous exercise associated with muscle damage*”. *Eur J Appl Physiol. 86(3). P:763.*

6. **Anna Maria Witkowska. (2005).** “*Solubl ICAM-1:A marker of vascular inflammation and lifestyle: Cytokin. Vol 31, Issue 2, PP:127-134.*

7. **Blake and Ridker. (2001).** “*Novel Clinical marker of vascular wall inflammation*”: *Circulation research: 89(9). 763.*

8. **Bauer J.J. and Snow C. M. (2003).** “*What is the prescription ofr healthy bones? J Musculoskel Neuron Interact. 3(4): PP:352-55.*

9. **Blake and Ridker . (2002).** “*Inflammatory bio-marker and cardiovascular risk prediction*” : *J Intern. Med. 252(4): PP:283-94.*

10. **Christopher JK. Hamett et al. (2006).** “*Effects of exercise training on 5 inflammatory markers associated with cardiovascular risk “.* *American heart J.Vol 151, Issue 2, 367.e 7-367.e16.*

11. **Demerath E, Towne B, Blangero J, Sierrogle RM. (2001).** “*The relationship of soluble ICAM-1, VCAM-1, P-selectin and E-selec in to cardiovascular disease risk factors in healthy men and women. Ann Hum Biol. 28(6) : PP: 664-78.*

12. **Dierenfield, yamada and et al. (2003).** “*Physiologic metabolic comparison of older (>50Y.O.) triathletes to healthy normal part 1: Women : Med sci. Spo . Exer. 35(5) : P: 205.*

13. **Ding YH, Young CN.Luan X, Li J, & et al. (205).** “*Exercise preconditioning ameliorates inflammatory injury in ischemicf rats during reperfusion*”. *Acta Neuropathol (Berl). Mar ; 109(3) : PP:237-46.*

14. Geffken D F, Cushman M. and et, al. (2001). "Association between physical activity and marker of inflammation in a health elderly population". *American J of epidemiology*. 153(3) ; PP:242-50.

15. Hopper C.A.,M.B. Gruber, K.D. Munoz, S.E.MacConnie, Y.M.Pfingson, and K.Nguyen. (2001). "Relationship of blood cholesterol to boy composition physical fitness and dietary intake measures in third-grade children and their parents.), *Res. Q*. 72 : PP:182-188.

16. Jason M.R. Gill, Muriel J. Caslake, Craig McAlister, Fotini Tsoflion , William R.Ferrell, Chris J. Packard and Dalia Malkova. (2003). "Effects of short-term detraining on postprandial metabolism endothelial function, and inflammation in endurance-trained men : dissociation between changes in triglyceride metabolism and endothelial function, *J of Clinical endocrinology & Metabolism* Vol. 88, No. 9, PP: 4328-4335.

17. Jessica L, Clarke & et al. (2005). "Comparison of differing C-reactive protein assay methods and their impact on cardiovascular risk assessment": *The American Journal of cardiology* : 95(1) :PP:155-58.

18. Mastro, Andrea M; Schlosser David A; and et al . (1999). "Lymphocyte subpopulations in lymphoid organs of rats after acute resistance exercise". *Med. Sci. Spo. Exer* . 31(1); PP:74-81.

19. Nicklas BJ, Ambrosius W, Messier SP, and et al . (2004). "Diet-induced weight loss, exercise and chronic inflammation in older, obese adults". *Arandomized controlled clinical trial. Am.J.Clin.Nutri*.79:PP:544-551.

20. Nielsen HG, Lyberg T. (2004). "Long-distance running modulates the expression of leucocyte and endothelial adhesion molecules". *Journal of Immonology*, 60. PP: 356-362

21. Piro M, Giubilate G, and et al. (2005). "Endothelium and in flammation *Panminerum Med*. 47(2) : PP: 75-80.

22. Ridker P.M, Rifai N, and et al.(2002). "Camparision of C-reactive protein and LDL cholesterol levels in the prediction of first cardiovascular events". *New England J. Medicine* : 347. PP:1557-65

23. Roberts CK, Won D, Pruthi S, Lin SS, Barnard RJ. (2006). "Effect of a diet and exercise intervention on oxidative stress, inflammation and monocyte adhesion in diabetic men". *Diabetes Res Clin pract*. Apr 6.

24. Simpson RJ, Florida-James GD, Whyte GP, Guy K. (2006). "The effects of intensive, moderate and downhill treadmill running of human blood lymphocytes expression the adhesion activation molecules CD54(ICAM-1), CD18(B2integrin)and CD53.

-
25. Smith LL, Amwar A, Fragen M, and et al. (2000). "Cytokine and cell adhesion molecules associated with high-intensity eccentric exercise . *Eur J Appl Physiol.* 82(1-2) : PP:61-7.
26. Somani SM. Husain K. (1996). "Exercise training alters kinetics of antioxidant enzymes in rat tissues". *Bioche.* 38:PP:587-95.
27. Turk J.R, and Layghlin M.H. (2004). "Physical activity and atherosclerosis which animal model"? *Can , J.Appl.Physiol.*29(5) : PP: 657-83.
28. Wang R.Y, Yang Y.R,Yu S.W. (2001). "Protective effects of treadmill training on infarction in rats, *Brain Research* 922, PP:140-143.
29. Wisloff U, Helegerud J and et.al. (2001). "intensity controlled tread mill running in rats: VO₂max and cardiac hypertrophy". *Am . J.Physiol heart circ. Physiol.* 280: PP:H1301-10.
30. Womack C.J. Ivey F.M and et al. (2001). "Fibrinolytic response to acute exercise in patients with peripheral arterial disease: *med. Sci. Spo.Exer.* 33(2). PP:214-19.
31. Yannakoulia M, Chrousos GP, Sidossis LS. (2005). "Aerobic exercise training improves insulin sensitivity without changes in body weight, body fat, adiponectin, and inflammatory markers in over weight and obese girls". *Med.Sci.Spo.Exer.* 33(2): PP:214-19.
32. Ziccardi P, Nappo F, Giugliano, and et al. (2002). "Reducing of inflammatory cytokine concentration and improvement of endothelial functions in obese women after weight loss over on year". *Circulation.* 105;PP:804-809.